

IN THE CLAIMS

The following is a complete listing of the claims. This listing replaces all earlier versions and listings of the claims.

Claims 1-26 (canceled)

Claim 27 (currently amended): An image processing system, comprising:

- a) an image pickup apparatus including an image pickup unit adapted to pick up an image; and
- b) an information processing apparatus including:
 - an interface adapted to detachably connect said image pickup apparatus;
 - a detector adapted to detect that said image pickup apparatus is connected;
 - a memory unit adapted to store images which were picked up by said image pickup apparatus;
 - a display unit adapted to display images picked up by said image pickup apparatus; and
 - a controller, communicatively coupled to said detector, said memory unit, and said display unit, adapted to set a connection flag in accordance with a detection result ~~[[of]]~~ by said detector and automatically to switch between a mode for displaying sequential images ~~[[sent]]~~ from said ~~image pickup apparatus~~ interface on said display unit and a mode for displaying ~~[[an]]~~ the image ~~which was picked up by said image pickup unit and stored in~~ from said memory unit ~~instead of~~

~~the sequential images~~ on said display unit, in accordance with a state of the connection flag which is set.

Claim 28. (canceled)

Claim 29 (original) An image processing system according to claim 27, wherein said display unit displays an image sent from said image pickup apparatus in a window in a display screen thereon.

Claims 30-32 (canceled)

Claim 33 (previously presented): An image processing system according to claim 27, wherein said display unit displays a result detected by said detector as marks.

Claim 34 (previously presented): An image processing system according to claim 33, wherein the marks displayed by said display unit relate to a camera.

Claim 35 (previously presented): An image processing system according to claim 27, wherein said display unit further displays an image pickup condition of said image pickup unit.

Claim 36 (canceled)

Claim 37 (currently amended): An information processing apparatus,
comprising:

- an interface adapted to connect an image pickup apparatus, the image pickup apparatus being detachable from said interface;
- a memory unit adapted to store images which were picked up by the image pickup apparatus;
- a detector adapted to detect that the image pickup apparatus is connected;
- a display unit adapted to display the images picked up by the image pickup apparatus; and
- a controller, communicatively coupled to said detector, said memory unit, and said display unit, adapted to set a connection flag in accordance with a detection result ~~[[of]]~~ by said detector and automatically to switch between a mode for displaying sequential images ~~[[sent]]~~ from said interface ~~the image pickup apparatus~~ on said display unit and a mode for displaying ~~[[an]]~~ the image ~~which was picked up by the image pickup apparatus and stored in~~ from said memory unit ~~instead of the sequential images~~ on said display unit, in accordance with a state of the connection flag which is set.

Claim 38 (previously presented): An apparatus according to claim 37, wherein said display unit displays an image sent from the image pickup apparatus in a window in a display screen thereon.

Claim 39 (previously presented): An apparatus according to claim 37, wherein said display unit displays a result detected by detector unit as marks.

Claim 40 (previously presented): An apparatus according to claim 39, wherein the marks displayed by said display unit relate to a camera.

Claim 41 (previously presented): An apparatus according to claim 37, wherein said display unit further displays an image pickup condition of the image pickup apparatus.

Claim 42 (previously presented): An image processing system according to claim 27, wherein said controller controls said display unit so as to display the image picked up by the image pickup apparatus, during an image pickup operation by the image pickup apparatus, and so as to display the image stored in said memory unit, during a cessation of the image pickup operation of the image pickup apparatus.

Claim 43 (previously presented): An apparatus according to claim 37, wherein said controller controls said display unit so as to display an image picked up by the image pickup apparatus, during an image pickup operation by the image pickup apparatus, and so as to display the image stored in said memory unit, during a cessation of the image pickup operation by the image pickup apparatus.

Claims 44-63 (canceled)